1

INVITATION FOR BID



07/31/2017

Test Return Seable Response To: See Body of Solicitation for Specific Return instructions BUYER: Taborga, Gustlarvo PHONE: 512/416-4724 Davis general principle in the following of the add inspanse envisige and driver under the section of the add inspanse envisige and driver under the section of the add inspanse envisige and driver under the section of the add inspanse envisige and driver under the section of the add inspanse envisige and driver under the section of the sect	on hou	Oper Color						OPENING DATE 03:0	00 PM Aug 15, 2017		
VENDOR ID: BUYER: Taborga, Gustavo PHONE: 512416-4724 Days	То:				Return Sealed Response To:						
VENDOR ID: BUYER: Taborga, Gustavo PHONE: 512/416-4724 Days											
Bit State				Оросии		u 111 11131	auctions				
Bit State											
Bit State											
Bit State											
Delivery in	VENDO	R ID:									
Cash Discount Section Sect	Shows openi	ng date and number	in lower left hand corner of sealed response envelope and show return address	_			24	С	avs		
Item Description Quantity Unit Make/ Unit Extended Price SHIP TO THE FOLLOWING LOGATION UNLESS OTHERWISE NOTED SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM 1 84563347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALICINING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, DO NOT RETURN THIS FORM. FAIlure to sign. FAIlure to sign. FRESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. FAIlure to Sign. Priced Name Priced							nt				
Item Secription Quantity Unit Make/ Node! Extended Price	F.O.B. destin	ation means vendor	retain title to goods until delivered and the price quoted includes all freight char	ges.	<u> </u>		OUOTE	FOR DESTINATION			
SHIP TO THE FOLLOWING LOCATION UNLESS OTHERWISE NOTED SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM 1 84563347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLIDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBERS SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED, IF NOT RESPONDING, DO NOT RETURN THIS FORM. FAIlure to sign will disquality Pened Name			112211	Quantity		Unit			Extended		
UNLESS OTHERWISE NOTED SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM 1 84563347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AVIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disquality response. Pristed Name Pristed Name Pristed Name 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM.	No.	CUID TO T					Model	Price	Price		
SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM 1 BA563347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, GOMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING, AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER: 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, DO NOT RETURN THIS FORM. FAIlure to sign will disquality response. Protect Name Protect Name Protect Name Protect Name ** **Protect Name ** ** ** ** ** ** ** ** **		the state of the s									
1 84583347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LICHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AVIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. Protect Name Protect Name Date Protect Name											
1 84563347008 COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LICHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 12. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PEPEPPOLICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACT TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disquality response. Date Printed Name Printed Name Date											
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.		LACITLINE									
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.											
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.											
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.											
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.											
COMPACTORS, GYRATORY, SUPERPAVE (SGC), SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify Printed Name By signings solicitation, respondent corridies that if the Texas address is shown as the address of the respondent.											
SUPERPAVE COMPACTOR, LIGHTWEIGHT, COMPACT, AND PORTABLE, INCLUDES COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing selicitation, respondent certifies that if the Texas address is shown as the address of the respondent.	1			1.00		EA					
COMPACTION CHAMBER SYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign Will disqualify response. Printed Name Date Printed Name											
COMPACTION CHAMBER, GYRATORY MOLD ASSEMBLIES AND RAM HEADS, AND RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing selicitation, respondent certifies that if the Texas address is shown as the address of the respondent.											
RECORDING AND DATA OUTPUT. SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		COMPACT	ION CHAMBER, GYRATORY MOLD								
SHIP THIS ITEM TO THE FOLLOWING LOCATION SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disquality response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.											
SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.		KECOKDII	NG AND DATA OUTPUT.								
SEE SPECIFIC INSTRUCTIONS FOR EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.											
EACH LINE ITEM. United States SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.											
SUPERPAVE GYRATORY COMPACTOR (SGC) THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.											
THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.		United Stat	es								
THE SGC SHALL MEET THE FOLLOWING SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.			1								
SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.		SUPERPAN	/E GYRATORY COMPACTOR (SGC)								
SPECIFICATIONS: 1. COMPACTION CHAMBER: 1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent.		THE SCC 9	SHALL MEET THE FOLLOWING								
1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,											
1.1. COMPACTION CHAMBER SHALL HAVE AN EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		4 001451									
EMERGENCY STOP SWITCH. 1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		1. COMPAC	CTION CHAMBER:								
1.2. COMPACTION CHAMBER SHALL HAVE A SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,											
SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		EMERGEN	CY STOP SWITCH.								
SELF-ALIGNING RAM AND MOLD CARRIAGE ASSEMBLY. 1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		1.2. COMP.	ACTION CHAMBER SHALL HAVE A								
1.3. THE AXIS OF THE RAM IS PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. Authorized Signature Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		SELF-ALIG	NING RAM AND MOLD CARRIAGE								
PERPENDICULAR TO THE PLATEN OF THE COMPACTOR. 1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. Authorized Signature Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		ASSEMBLY	<i>(</i> .								
1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. Authorized Signature Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		1.3. THE AX	XIS OF THE RAM IS					10			
1.4. THE COMPACTOR TILTS THE SPECIMEN IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Failure to sign will disqualify response. Authorized Signature Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,											
Failure to sign will disqualify response. Printed Name IF RESPONDING, FORM MUST BE SIGNED. IF NOT RESPONDING. DO NOT RETURN THIS FORM. Authorized Signature Date Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		COMPACT	OR.								
Failure to sign will disqualify response. Authorized Signature Date Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,		1.4. THE C	OMPACTOR TILTS THE SPECIMEN								
Authorized Signature Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,			IF RESPONDING, FORM MUST BE SIGNED	D. IF NOT RE	SPC	NDING	. DO NOT RI	ETURN THIS FORM.			
Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,											
Printed Name By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,			Authorized Signature			D	ate				
By signing solicitation, respondent certifies that if the Texas address is shown as the address of the respondent,	respons	е.	Printed Name								
	By signing eati	citation reenced	cartifies that if the Toyas address is shown the address in the								

07/31/2017

GE TEGE	ageanumen					OPENING DATE 03:0	00 PM Aug 15, 2017
To:		Return	Seale	d Resp	onse To:		
		See Bod	y of S	Solicitat	ion for		
		Specific	Retu	ırn Inst	ructions		
		1					
	· ·						
VENDO	R ID:	BUYER:	Tabo	orga, G	ustavo		
		PHONE					
Shows openi	ng date and number in lower left hand corner of sealed response envelope and show return add	ress of vendor.	Deliv	very in _		[Days
	s to comply with the solicitation below and at terms and conditions.		Cash	h Discou	nt	%%	Days
	ation means vendor retain title to goods until delivered and the price quoted includes all freight c	harges.					
		-			QUOT	E F.O.B. DESTINATION	
Item	Item	Quantity		Unit	Make/	Unit	Extended

					F.O.B. DESTINATION	
Item	Item	Quantity	Unit	Make/	Unit	Extended
Item No.	MOLDS AT AN INTERNAL ANGLE OF 1.16 ± 0.02 DEGREES (20.2 ± 0.35 MRAD) AND GYRATES SPECIMEN MOLDS AT A RATE OF 30.0 ± 0.5 GYRATIONS PER MINUTE THROUGHOUT COMPACTION. 1.5. THE COMPACTOR IS DESIGNED TO PERMIT THE SPECIMEN MOLD TO REVOLVE FREELY ON ITS TILTED AXIS DURING GYRATION. 1.6. THE WEIGHT OF THE COMPACTOR SHALL NOT EXCEED 310 LBS. (140.6 KG). 1.7. THE RAM APPLIES AND MAINTAINS A CONSTANT PRESSURE PERPENDICULAR TO THE CYLINDRICAL AXIS OF THE SPECIMEN DURING COMPACTION. CONSOLIDATION PRESSURE TOLERANCES ARE 600 ± 60 KPA (87 ± 8.7 PSI) FOR GYRATIONS ZERO TO FIVE AND 600 ± 18 KPA (87 ± 2.6 PSI) FOR GYRATIONS SIX AND GREATER. 1.8. THE SPEED OF GYRATION SHALL BE 30 ± 0.5 GYRATIONS PER MINUTE AND HELD CONSTANT DURING GYRATION OF THE SPECIMEN. 1.9. THE COMPACTOR SHALL COMPACT A SPECIMEN FROM A MINIMUM OF 1 TO 299 GYRATIONS, SET BY THE OPERATOR, WITH AUTOMATIC SHUTOFF AFTER REACHING THE SPECIFIED NUMBER OF GYRATIONS. 1.10. CONSOLIDATION PRESSURE SHALL BE APPLIED BY MEANS OF A MECHANICAL SCREW OR HYDRAULIC RAM. 2. GYRATORY MOLD ASSEMBLIES AND RAM HEADS: 2.1. TWO (2) MOLDS ARE REQUIRED FOR THE COMPACTOR 2.2. SPECIMEN MOLDS MUST HAVE STEEL WALLS THAT ARE AT LEAST 7.5MM (0.3 INCH) THICK AND HAVE A MINIMUM ROCKWELL HARDNESS OF C48.	Quantity	Unit			Extended Price



07/31/2017

	ar union. Asportation				SOLICITATION NO.	001440000013323
					OPENING DATE 03:0	00 PM Aug 15, 2017
То:				ponse To:		
		See Boo		tion for structions		
		Opecinic	 	uotioilo		
VENDO	R ID:	BUYER				
Chausana		PHONE			,	2000
	ng date and number in lower left hand corner of sealed response envelope and show return addre es to comply with the solicitation below and at terms and conditions.	ess of vendor.	ery in _		%	Days Days
F.O.B. destin	ation means vendor retain title to goods until delivered and the price quoted includes all freight ch	arges.				
Item	Item	Quantity	 Unit		E F.O.B. DESTINATION	Extended
No.	Description	Quantity	Unit	Make/ Model	Unit Price	Extended Price
	2.4. THE INSIDE FINISH OF THE MOLDS MUST			moder	11100	11100
	HAVE A ROOT MEAN SQUARE (RMS) OF 1.60 μM					
	OR SMOOTHER.					
	2.5. SIMPLE SPECIMEN EXTRUSION					
	METHOD/TOOL FOR THE GYRATORY MOLD SHALL					
	BE SUPPLIED.					
	2.6. RAM HEADS AND MOLD BOTTOMS MUST BE					
	FABRICATED FROM STEEL WITH A MINIMUM					
	ROCKWELL HARDNESS OF C48.					
	2.7. THE RAM HEADS MUST BE PERPENDICULAR					
	TO ITS AXIS.					
	2.0 THE DI ATEN CIDE OF FACIL MOI D DOTTON					
	2.8. THE PLATEN SIDE OF EACH MOLD BOTTOM MUST BE FLAT AND PARALLEL TO ITS FACE.					
	2.9. ALL RAM AND BASE PLATE FACES (THE					
	SIDES PRESENTED TO THE SPECIMEN) MUST BE GROUND FLAT TO MEET THE SMOOTHNESS					
	REQUIREMENTS OF ANSI B 46.1 AND MUST					
	HAVE A DIAMETER OF 149.50-149.75 MM					
	(5.885-5.896 IN.)					
	2.10. FIVE HUNDRED EACH (500) 150 MM					
	(5.912 IN.) PAPER DISKS SHALL BE					
	INCLUDED.					
	3. RECORDING AND DATA OUTPUT:					
	3.1 OPERATOR SHALL SET THE NUMBER OF					
	GYRATIONS APPLIED TO THE SPECIMEN. THE					
	DATA FROM A MINIMUM OF 10 PREVIOUS					
	SPECIMENS SHALL BE STORED.					
	3.2. WHEN MONITORING SPECIMEN DENSITY					
	DURING COMPACTION, PROVIDE A MEANS TO					
	CONTINUOUSLY MEASURE AND RECORD THE HEIGHT OF THE SPECIMEN TO THE NEAREST					
	0.1 MM (0.0039 IN.) DURING COMPACTION,					
	ONCE PER GYRATION.					
	3.3. GYRATORY COMPACTOR SHALL BE					
	EQUIPPED WITH AN RJ45 ETHERNET PORT OR A					
	USB PORT FOR DOWNLOADING DATA.					
	MANUALS:					
	THE EQUIPMENT SHALL BE DELIVERED WITH AT					
	LEAST ONE (1) EACH OPERATIONAL MANUAL AND ONE (1) EACH SERVICE MANUAL. THE					
	MANUALS SHALL CONTAIN ILLUSTRATED PARTS				, ,	
	LIST, OPERATING, CALIBRATION AND SERVICE					
	INSTRUCTIONS IN ENGLISH. THE MANUALS					



07/31/2017

Car recard						OPENING DATE 03:	00 PM Aug 15, 2017	
To:		Return	Seale	d Resp	onse To:			
		See Bod	y of S	Solicitat	ion for			
		Specific	Retu	ırn İnst	tructions			
VENDO I	RID:	BUYER:						
		PHONE	512	<u>/416-47</u>	24			
Shows opening	ng date and number in lower left hand corner of sealed response envelope and show return add	ress of vendor.	Deli	very in _			Days	
	s to comply with the solicitation below and at terms and conditions.		Cas	h Discou	int	%	Days	
Principle District	ation means vendor retain title to goods until delivered and the price quoted includes all freight c	harges.						
					QUOT	E F.O.B. DESTINATION		
Item	Item	Quantity		Unit	Make/	Unit	Extended	
Al-	Description	,			Model	Price	Price	

				QUUIL	F.O.B. DESTINATION	
Item	Item	Quantity	Unit	Make/	Unit	
Item No.	Item Description SHALL BE DETAILED AS POSSIBLE OUTLINING ALL NECESSARY SERVICE AND OPERATING INSTRUCTIONS FOR THE INSTRUMENT DELIVERED. MANUAL(S) SHALL INCLUDE THE NECESSARY WARNINGS AND SAFETY PRECAUTIONS. IT IS REQUESTED, BUT NOT REQUIRED THAT THE MANUAL(S) BE PRINTED ON RECYCLED PAPER. SAFETY PLAQUES OR DECALS SHALL BE FURNISHED AND SHALL BE AFFIXED AT ANY HAZARDOUS AREA. THE SAFETY PLAQUES OR DECALS SHALL DESCRIBE THE NATURE OF THE HAZARD, LEVEL OF HAZARD SERIOUSNESS, HOW TO AVOID THE HAZARD, AND THE CONSEQUENCE OF HUMAN INTERACTION WITH THE HAZARD. PERMANENT PLAQUES ARE PREFERRED TO DECALS. TYPES, SIZE AND LOCATION OF PRODUCT SAFETY PLAQUES OR DECALS SHALL BE IN ACCORDANCE WITH THE LATEST REVISION OF ANSI 535.4. CALIBRATION AND TRAINING: THE VENDOR SHALL PROVIDE CALIBRATION AND TRAINING SERVICES AFTER THE UNIT HAS BEEN DELIVERED AND IS READY FOR OPERATION, BUT PRIOR TO ACCEPTANCE AND PAYMENT. THESE SERVICES SHALL TAKE PLACE ON TXDOT'S PREMISES AT A TIME AND DATE MUTUALLY AGREED UPON BY THE VENDOR AND TXDOT. THE VENDOR SHALL VERIFY THE EQUIPMENT IS IN CALIBRATION AND DEMONSTRATE THAT THE INSTRUMENT IS CALIBRATED, ALIGNED AND FUNCTIONAL. THE VENDOR WILL PROVIDE THE SERVICES OF A COMPETENT FACTORY TRAINED TECHNICIAN THOROUGHLY TRAINED IN THE USE AND OPERATION, AND DEMONSTRATE THAT THE INSTRUMENT IS CALIBRATED, ALIGNED AND FUNCTIONAL. THE VENDOR WILL PROVIDE THE SERVICES OF A COMPETENT FACTORY TRAINED TECHNICIAN THOROUGHLY TRAINED IN THE USE AND OPERATION, AND PREVENTATIVE MAINTENANCE OF THE UNIT. THE TRAINING WILL DEMONSTRATE HOW TO USE THE EQUIPMENT AND SHALL BE A MINIMUM OF 2 HOURS ON SAFETY, OPERATION, AND PREVENTATIVE MAINTENANCE OF THE UNIT. TRAINING SHALL BE PROVIDED	Quantity	Unit			Extended Price

5

INVITATION FOR BID



07/31/2017

	sportation					SOLICITATION NO. 6	001440000013323
	agree nearter					OPENING DATE 03:0	00 PM Aug 15, 2017
То:		See Boo			onse To:		
					tructions		
VENDO	R ID:	BUYER	Tab	orga. G	Sustavo		
		PHONE	512	/416-47			
	ng date and number in lower left hand corner of sealed response envelope and show return addre is to comply with the solicitation below and at terms and conditions.	ess of vendor.	I	very in _ h Discou	int		Days Days
	ation means vendor retain title to goods until delivered and the price quoted includes all freight ch	arges.					
Item	Item	Quantity	_	Unit	QUOT Make/	E F.O.B. DESTINATION Unit	Extended
No.	Description	Quantity		Oilit	Model	Price	Price
	ACCEPTANCE:						
	ALL EQUIPMENT ORDERED WILL BE SUBJECT TO ACCEPTANCE INSPECTION AND PERFORMANCE TESTING UPON RECEIPT.						
	ACCEPTANCE INSPECTION WILL NOT OCCUR UNTIL AFTER THE EQUIPMENT HAS BEEN DELIVERED AND CALIBRATION AND TRAINING IS COMPLETED.						
	THE VENDOR WILL BE NOTIFIED OF ANY UNIT NOT DELIVERED IN FULL COMPLIANCE WITH THE PURCHASE ORDER SPECIFICATIONS.						
	PAYMENT:						
	PAYMENT WILL BE MADE WITHIN 30 DAYS AFTER THE ACCEPTANCE INSPECTION HAS BEEN COMPLETED AND TXDOT DETERMINES THAT THE EQUIPMENT DELIVERED MEET SPECIFICATIONS AND ALL SERVICES ARE COMPLETED, OR THE DAY ON WHICH A CORRECT INVOICE FOR THE GOODS OR MATERIALS WAS RECEIVED, WHICHEVER IS LATER.						
	WARRANTY:						
	THE INSTRUMENT OFFERED SHALL BE WARRANTED AGAINST DEFECTIVE MATERIALS, WORKMANSHIP, AND FAILURES FOR A PERIOD OF TWELVE (12) MONTHS AND SHALL COVER ONE HUNDRED PERCENT PARTS AND LABOR FOR THE EQUIPMENT AND COMPONENTS. IF THE MANUFACTURER'S STANDARD WARRANTY PERIOD IS IN EXCESS OF 12 MONTHS, THEN THE STANDARD WARRANTY PERIOD SHALL APPLY.						
	THE WARRANTY PERIOD SHALL BEGIN ON THE DATE THE INSTRUMENT IS DETERMINED TO MEET ALL SPECIFICATIONS AND IS ACCEPTED INTO TXDOT'S INVENTORY.						
	EXAMPLE OF COMMODITY: PART #: CON 916B; ISC 8376 OR TXDOT APPROVED EQUAL						
	PLEASE PROVIDE THE FOLLOWING INFORMATION WITH YOUR RESPONSE:						
	Make/Manufacturer:						
	Part/Product No.:						
	Unit price: (freight Included)						

6

Page

INVITATION FOR BID



07/31/2017

of Trai	rsportation				(OPENING DATE 03:0	0 PM Aug 15. 2017
То:					onse To:	2. 2.1 27112 30.0	
		See Boo			ion for tructions		
VENDO	P.ID.	BUVES	Toh	orge C	ustavo		
VENDO		BUYER: PHONE	512	416-47	24		
	ng date and number in lower left hand corner of sealed response envelope and show return addres es to comply with the solicitation below and at terms and conditions.	s of vendor.	1100-1100-1100	ery in _ n Discou	nt		ays Days
F.O.B. destin	ation means vendor retain title to goods until delivered and the price quoted includes all freight char	rges.			QUOTE	F.O.B. DESTINATION	
Item	Item	Quantity		Unit	Make/	Unit	Extended
No.	Description				Model	Price	Price
	(Please transfer this amount to the "Unit Price" column on the right-hand						
	side of the Solicitation, and calculate						
	the "Extended Price" amount accordingly)						
	Estimated Delivery: days (ARO)						
	The following comments apply to the						
	entire Solicitation						
	"Purchases made for State use are exempt						
	from the Texas State Sales Tax, and certain purchases are exempt from						
	Federal Excise Tax."						
	+++++++++++++++++++++++++++++++++++++++						
	THIS SOLICITATION IS FOR A PORTABLE						
	SUPERPAVE GYRATORY COMPACTOR (SGC) AS						
	DESCRIBED ABOVE, AND IN ACCORDANCE WITH THE FOLLOWING TERMS AND CONDITIONS.						
	ALL PARTS NOT SPECIFICALLY MENTIONED						
	WHICH ARE NECESSARY FOR THE UNIT TO BE COMPLETE AND READY FOR OPERATION, OR						
	WHICH ARE NORMALLY FURNISHED AS STANDARD						
	EQUIPMENT SHALL BE FURNISHED BY THE VENDOR. ALL PARTS SHALL CONFORM IN						
	STRENGTH, QUALITY AND WORKMANSHIP TO THE						
	ACCEPTED STANDARDS OF THE INDUSTRY.						-
	ELECTRONIC STATE BUSINESS DAILY (ESBD)						
	THIS SOLICITATION IS POSTED ON THE ELECTRONIC STATE BUSINESS DAILY (ESBD).						
	IT IS THE RESPONSIBILITY OF THE						
	INTERESTED PARTIES TO PERIODICALLY CHECK THE ELECTRONIC STATE BUSINESS DAILY						
	(ESBD) FOR UPDATES TO THE PROCUREMENT						
	PRIOR TO SUBMITTING A RESPONSE. THE RESPONDENT'S FAILURE TO PERIODICALLY						
	CHECK THE ESBD WILL IN NO WAY RELEASE						
	THE SELECTED VENDOR FROM "ADDENDA OR						
	ADDITIONAL INFORMATION" RESULTING IN ADDITIONAL COSTS TO MEET THE						
	REQUIREMENTS OF THE SOLICITATION.						
	HTTP://ESBD.CPA.STATE.TX.US						
	ORDER OF PRECEDENCE						
	SERVICE SHALL BE PERFORMED IN ACCORDANCE						

INVITATION FOR BID



07/31/2017

	arment nsportation					SOLICITA	TION NO. 0	01440000013323
	maginari sastrari:					OPENING	DATE 03:0	0 PM Aug 15, 2017
То:		See Boo	ly of	Solicitat	oonse To: ion for tructions			
VENDO	R ID:	BUYER						
Shows open	ing date and number in lower left hand corner of sealed response envelope and show return addre	PHONE ss of vendor.		/416-4/ very in				Days
Vendor agre	es to comply with the solicitation below and at terms and conditions.			h Discou		%		Days
F.O.B. destir	nation means vendor retain title to goods until delivered and the price quoted includes all freight cha	arges.	_		QUOT	E F.O.B. DE	STINATION	
Item No.	ltem Description	Quantity		Unit	Make/ Model		Unit Price	Extended Price
NO.	WITH THE DOCUMENTS NOTED BELOW. IN THE EVENT OF ANY CONFLICT, TERMS CONTAINED IN THE DOCUMENTS SHALL PREVAIL IN THE ORDER LISTED BELOW: * SOLICITATION 601440000013323			×	Wodel		File	File
	* TXDOT TERMS AND CONDITIONS, REVISED JUNE, 2017							
	* PAYMENT SHALL BE IN ACCORDANCE WITH PART 4.04, PARA. (C) OF THE TXDOT TERMS AND CONDITIONS.							
	* EARLY PAYMENT PROGRAM - TXDOT IS OFFERING AN IMPORTANT PROGRAM TO ALL RESPONDENTS THAT PROVIDE PRIORITIZED INVOICE PROCESSING AND PAYMENTS (PRIOR TO THE 30TH DAY AFTER RECEIPT OF A CORRECT INVOICE). THE PROGRAM PROVIDES ENROLLED VENDORS ENHANCED BENEFITS FROM IMPROVED INVOICE PROCESSING TO PRIORITY HANDLING TO CASH ADVANCEMENT AND TECHNOLOGY EFFICIENCIES.							
	RESPONDENTS OFFERING A CASH DISCOUNT IN EXCHANGE FOR TXDOT'S PRIORITY INVOICE PROCESSING AND EARLY PAYMENT AGREEMENT, SHOULD COMPLETE AND RETURN THE ATTACHED FORM ENTITLED "PRIORITY INVOICE AND EARLY PAYMENT PROGRAM" WITH THE RESPONSE.							
	ADDITIONAL INFORMATION MAY BE FOUND AT THE FOLLOWING WEBSITE: HTTP://www.txdot.gov/business/vendors/ep P.HTML.							
	INSURANCE COVERAGE							
	INSURANCE SHALL BE IN ACCORDANCE WITH PART 5, OF THE TXDOT TERMS AND CONDITIONS							
	INSURANCE REQUIRED:							
	* WORKER'S COMPENSATION * COMMERCIAL GENERAL LIABILITY * COMMERCIAL AUTOMOBILE POLICY							
	FORM 1950, CERTIFICATE OF INSURANCE FOR SERVICES							
	WORKER'S COMPENSATION INSURANCE							
	WORKER'S COMPENSATION INSURANCE: VENDOR			-				



07/31/2017

						OPENING	DATE 03:0	0 PM Aug 15, 2017
To:		Return	Seale	d Resp	onse To:			
		See Boo	y of S	Solicitat	ion for			
		Specific	Reti	urn Inst	tructions			
VENDO	R ID:	BUYER		0				
		PHONE	512	/416-47	724			
Shows opening	ng date and number in lower left hand corner of sealed response envelope and show return add	ess of vendor.	Deli	very in _				ays
Vendor agree	s to comply with the solicitation below and at terms and conditions.		Cas	h Discou	int	%		Days
F.O.B. destin	ation means vendor retain title to goods until delivered and the price quoted includes all freight d	harges.						
					QUO	TE F.O.B. DE	STINATION	
Item	Item	Quantity		Unit	Make/		Unit	Extended
No.	Description	•			Model		Price	Price

No.	Description	Quantity	Unit	Model	Price	Price
	SHALL PROVIDE FORM 1950 CERTIFICATE OF INSURANCE FOR PERSONS PROVIDING ALL OR PART OF THE SERVICES REGARDLESS OF WHETHER THAT PERSON CONTRACTED DIRECTLY WITH THE CONTRACTOR AND REGARDLESS OF WHETHER THAT PERSON HAS EMPLOYEES. THIS INCLUDES BUT IS NOT LIMITED TO, INDEPENDENT CONTRACTORS, SUBCONTRACTORS, LEASING COMPANIES, MOTOR CARRIERS, AND OWNER-OPERATORS.					
	PER PART 5, PARA. 5.01 OF THE TXDOT TERMS AND CONDITIONS, THE VENDOR SHALL PROVIDE THE REQUIRED TXDOT INSURANCE FORM UPON NOTICE OF AWARD. VENDOR SHALL NOT PERFORM SERVICES UNDER THE PURCHASE ORDER UNTIL THIS FORM IS RECEIVED BY TXDOT. FAILURE TO PROVIDE PROOF OF INSURANCE WITHIN THE TIME FRAME REQUESTED BY TXDOT MAY RESULT IN THE VENDOR'S RESPONSE BEING DECLARED NON-RESPONSIVE AND THE PURCHASE ORDER BEING AWARDED TO THE NEXT RESPONSIVE, RESPONSIBLE RESPONDENT.					
	RESPONDENTS ARE CAUTIONED TO READ CAREFULLY THE SPECIFICATION(S); REQUIREMENT(S) AND ALL TERMS AND CONDITIONS CONTAINED IN THIS SOLICITATION. RESPONDENTS MUST DIRECT OUR ATTENTION TO ANY EXCEPTIONS TO SPECIFICATION(S); REQUIREMENT(S) EVEN THOUGH YOUR CATALOG OR SPEC. SHEET MAY OR MAY NOT LIST SPECIFICATION(S); REQUIREMENT(S) FOR YOUR PRODUCT.			7		
	DELIVERIES: UNLESS STATED OTHERWISE IN THE SOLICITATION, ALL DELIVERIES SHALL BE F.O.B. DESTINATION.					
	F.O.B. DESTINATION, FREIGHT PREPAID AND ALLOWED AS PER PARA. 2.03 PRICING, OF THE TXDOT TERMS AND CONDITIONS (THIS MEANS THE VENDOR SHALL PREPAY AND INCLUDE FREIGHT CHARGES IN THE UNIT PRICE).					
	F.O.B. DESTINATION: Texas Department of Transportation Brownwood District 2495 Highway 183 North Brownwood, TX 76802					
	DELIVERIES SHALL BE MADE BETWEEN 8 AM AND 4 PM MONDAY THRU FRIDAY, EXCEPT ON REGULARLY OBSERVED STATE OR FEDERAL					

9

INVITATION FOR BID

07/31/2017

of Tha	nsportation			,	OPENING DATE 03:0	10 PM Aug 15 2017
То:		See Boo	y of Solicita	sponse To:	SPENING DATE 03.0	10 FWI Aug 15, 2017
VENDO	R ID:		Taborga, 512/416-4			
Vendor agree	ing date and number in lower left hand corner of sealed response envelope and show return addr es to comply with the solicitation below and at terms and conditions. nation means vendor retain title to goods until delivered and the price quoted includes all freight ch		Delivery in Cash Disco	ount	%	Days Days
Item	Item	Quantity	Unit	Make/	F.O.B. DESTINATION Unit	Extended
No.	Description HOLIDAYS.		_	Model	Price	Price
	THE VENDOR SHALL MAKE DELIVERY TO THE SPECIFIED F.O.B. DESTINATION POINT WITHIN () CALENDAR DAYS FROM NOTIFICATION TO SHIP (ARO).				,	
	VENDOR IS CAUTIONED TO SHIP ONLY THE QUANTITY OF ITEMS ORDERED. TXDOT IS NOT OBLIGATED TO ACCEPT ANY ITEMS EXCEEDING THE QUANTITY STATED ON THE PURCHASE ORDER. OVERAGES MAY BE RETURNED TO THE VENDOR AT THE VENDOR'S EXPENSE. IF THE VENDOR REFUSES THE RETURN, THE OVERAGE WILL BE HANDLED AS A GIFT TO THE STATE.					
	POINT OF CONTACT					
	PROVIDE A VENDOR POINT-OF-CONTACT FOR COMMODITIES:					
	NAME:				,	
	FOR CLARIFICATION OF THE SPECIFICATIONS OF THIS SOLICITATION, RESPONDENTS MAY CONTACT:					
	TXDOT PURCHASER: Gustavo A. Taborga, CTPM TEL No.: 512-416-4724 FAX No.: 512-416-4782 E-MAIL: Gustavo.Taborga@txdot.gov			275		
	THE INDIVIDUAL LISTED ABOVE IS THE ONLY AUTHORIZED TXDOT CONTACT. CONTACTING ANY OTHER TXDOT PERSONNEL REGARDING THIS SOLICITATION, THE SPECIFICATION OR STATEMENT OF WORK, MAY RESULT IN THE RESPONDENT BEING DISQUALIFIED. ANY CHANGES AS A RESULT OF QUESTIONS WILL BE MADE BY TXDOT IN THE FORM OF AN ADDENDUM TO THE SOLICITATION; NO ORAL CHANGES WILL BE CONSIDERED.					
	QUESTIONS					
	VENDORS MUST SEND VIA EMAIL ALL QUESTIONS REGARDING THIS SOLICITATION TO THE PURCHASER IDENTIFIED ABOVE. THE DEADLINE FOR SUBMISSION OF QUESTIONS IS:					9
	DATE: 08/08/2017					

INVITATION FOR BID



07/31/2017

	sportation	I 5-4	0	45-		PENING DATE 03:0	0 PM Aug 15, 2017
То:		See Boo			onse To:		
					tructions		
VENDO	R ID:	BUYER PHONE	: 512	/416-47			
	ng date and number in lower left hand corner of sealed response envelope and show return addres	s of vendor.	1	very in _ h Discou	ays Days		
Vendor agrees to comply with the solicitation below and at terms and conditions. F.O.B. destination means vendor retain title to goods until delivered and the price quoted includes all freight charg		ges.	Jasi	213000			
Item	Item	Quantity		Unit	QUOTE Make/	F.O.B. DESTINATION Unit	Extended
No.	Description	Quantity		0	Model	Price	Price
	NO FURTHER QUESTIONS WILL BE ACCEPTED BEYOND THIS DATE.						
	RESPONSE TO QUESTIONS THROUGH ADDENDUM						
	WILL BE POSTED TO THE ESBD ON: 08/09/2017 OR AS SOON AS PRACTICAL						
	RESPONSES SUBMITTAL:						
	RESPONSES SHALL BE SUBMITTED IN					-	
	ACCORDANCE WITH PART 2.02 RESPONSE SUBMISSIONS, OF THE TXDOT TERMS AND						
	CONDITIONS, LATEST REVISION.						
	RESPONSES MAY BE SUBMITTED TO THE ADDRESS PROVIDED IN THE SOLICITATION.						
	ALL RESPONSES MUST BE SIGNED.						
	OR RESPONSES MAY BE SUBMITTED VIA E-MAIL IF						
	THEY ARE SIGNED AND IN PDF FORMAT.						
	RESPONSES THAT ARE LATE, ILLEGIBLE,						
	INCOMPLETE OR OTHERWISE NON-RESPONSIVE WILL NOT BE CONSIDERED FOR AWARD.						
	TXDOT IS NOT RESPONSIBLE FOR FAILURE OF ELECTRONIC EQUIPMENT OR OPERATOR ERROR.						
	E-MAIL RESPONSES MUST BE SUBMITTED TO: PRO_RSG@TXDOT.GOV						
	BID OPENING: THE BID OPENING WILL BE						
	HELD AT THE TEXAS DEPARTMENT OF TRANSPORTATION, 150 E. RIVERSIDE DR.,						
	AUSTIN, TX 78704.					Ti .	
	RETURN BIDS TO: TXDOT – PROCUREMENT						
	DIVISION, 150 E. RIVERSIDE DR., SOUTH						
	TOWER, 2ND. FLOOR, AUSTIN, TX 78704, ATTENTION: PRO_RSG.						
	ABILITY TO MAKE EARLY DELIVERY MAY BE A FACTOR IN DETERMINING THE AWARD.						
	TXDOT RESERVES THE RIGHT TO REJECT BIDS						
	THAT ARE NOT RESPONSIVE TO THE SOLICITATION REQUIREMENTS.						
	VENDOR VERIFICATION OF FEDERAL EMPLOYER IDENTIFICATION NUMBER						
	VENDOR TO PROVIDE CURRENT COMPANY NAME:						
	VENDOR TO PROVIDE FEDERAL EIN:						

INVITATION FOR BID



07/31/2017

or transponential			OPENING DATE 03:00 PM Aug 15, 2017							
То:			Return Sealed Response To: See Body of Solicitation for							
					ructions					
		Оросии								
VENDO		BUVER	Tob	C						
VENDO	R ID:		R: Taborga, Gustavo E: 512/416-4724							
Shows opening	ng date and number in lower left hand corner of sealed response envelope and show return addres	_	Delivery in			Days				
	s to comply with the solicitation below and at terms and conditions. ation means vendor retain title to goods until delivered and the price quoted includes all freight cha	raes	Cash Discount Days							
F.O.B. desun	agon means venuor retain que to goods unui denvered and the price quoted molddes an meight sha					F.O.B. DESTINATION				
Item No.	Item Description	Quantity		Unit	Make/ Model	Unit Price	Extended Price			
NO.	Description				Wiodei	FIICE	FIICE			
	IF INVOICE WILL BE SUBMITTED BY, AND/OR PAYMENT MADE TO AN EIN OR COMPANY NAME DIFFERENT FROM THE VENDOR ON THE PURCHASE ORDER, VENDOR MUST COMPLETE THE									
	FOLLOWING TO AUTHORIZE PAYMENT:									
	EIN OF COMPANY AUTHORIZED TO INVOICE FOR VENDOR:						-			
	NAME OF INVOICING COMPANY:									
	EIN OF COMPANY AUTHORIZED TO RECEIVE PAYMENT:					*.				
	NAME OF COMPANY TO BE PAID:									
	PREFERENCE AND VENDOR ID NUMBER CHECK BELOW IF PREFERENCE CLAIMED UNDER RULE 34 TAC 20.38.									
	TIE-BID PREFERENCESSUPPLIES, MATERIALS OR EQUIPMENT PRODUCED IN TEXAS OR OFFERED BY A TEXAS BIDDER									
	AGRICULTURAL PRODUCTS PRODUCED OR GROWN IN TEXASAGRICULTURAL PRODUCTS AND SERVICES OFFERED BY TEXAS BIDDERUSA PRODUCED SUPPLIES, MATERIAL OR									
	EQUIPMENT PRODUCTS PRODUCED AT FACILITIES LOCATED ON FORMERLY CONTAMINATED PROPERTY									
	PRODUCTS AND SERVICES FROM ECONOMICALLY DEPRESSED OR BLIGHTED AREAS GOODS PRODUCED OR OFFERED BY A TEXAS BIDDER THAT IS OWNED BY A SERVICE DISABLED VETERAN WHO IS A TEXAS RESIDENT									
	SOURCE PREFERENCES PRODUCTS OF PERSONS WITH MENTAL OR PHYSICAL DISABILITIES VENDORS THAT MEET OR EXCEED AIR QUALITY STANDARDS. FOR CONTRACTS TO BE PERFORMED, IN WHOLE OR IN PART, IN A DESIGNATED NON-ATTAINMENT AREA OR AN									

INVITATION FOR BID



07/31/2017

on transportation			OPENING DATE 03:00 PM Aug 15, 2017						
То:			Return Sealed Response To: See Body of Solicitation for						
					tructions				
		,							
VENDO	R ID:	BUYER	Tah	orga G	Sustavo				
VEINDO		PHONE	: 512	/416-47	724				
	ng date and number in lower left hand corner of sealed response envelope and show return address	ess of vendor.		Delivery in					
the contract of the contract o	is to comply with the solicitation below and at terms and conditions. ation means vendor retain title to goods until delivered and the price quoted includes all freight ch	arges.	Cash Discount			% Days			
Itam	lta	0	QUOTE F.O.B. DESTINATION						
Item No.	Item Description	Quantity		Unit	Make/ Model	Unit Price	Extended Price		
	AFFECTED COUNTY, AS THOSE TERMS ARE								
	DEFINED BY HEALTH AND SAFETY CODE 386.001 TEXAS EMISSION REDUCTION PLAN								
	MANUFACTURER THAT HAS A RECYCLE								
	PROGRAM FOR COMPUTER EQUIPMENT CONTRACTOR PROVIDING FOODS OF HIGHER								
	NUTRITIONAL VALUE								
	SPECIFICATION PREFERENCES								
	POINT LINES MADE OF RECYCLED MATERIALS,								
	REMANUFACTURED, OR ENVIRONMENTALLY								
	SENSITIVE MATERIALS INCLUDING RECYCLED STEEL								
	_ ENERGY EFFICIENT PRODUCTS								
	RUBBERIZED ASPHALT PAVING MATERIALS RECYCLED MOTOR OIL AND LUBRICANTS								
	IF THE NAME OF YOUR COMPANY IS NOT PRINTED ON THE HEADING OF THIS								
	SOLICITATION, YOU MUST WRITE THE FULL								
	NAME OF COMPANY, FULL NAME OF SIGNER, MAILING ADDRESS AND RESPONDENT'S								
	EMPLOYER IDENTIFICATION NUMBER (EIN) ON								
	THE FACE OF THE SOLICITATION.								
	IN AN EFFORT TO MINIMIZE IDENTITY THEFT,								
	EVERY COMPANY MUST HAVE AN EMPLOYER								
	IDENTIFICATION NUMBER (EIN), ALSO KNOWN AS A FEDERAL TAX IDENTIFICATION NUMBER.								
	PRIOR TO AWARD OF A PURCHASE ORDER.								
	FOR INFORMATION ON OBTAINING YOUR EIN					2			
	YOU MAY CALL 800-829-4933 OR VISIT THE								
	FOLLOWING WEBSITE: HTTP://WWW.IRS.GOV/BUSINESSES/SMALL/								
	(NOTE: THIS LINK WILL NOT WORK IF								
	CAPITALIZATION IS USED. TYPE IN								
	NAVIGATION BAR USING LOWER CASE LETTERS)								
						*			
	,								